


SolarEdge Energy Net Plug-In Wireless Mesh Network

Model: ENET



COMMUNICATIONS

One communication platform for seamless device connection within the SolarEdge Smart Energy Management ecosystem

- ✓ Faster, easier and cleaner installations*
 - ✓ Avoids the hassle of wired infrastructure with wireless connectivity between inverter and system devices
 - ✓ Simple plug and play connection
 - ✓ Automatic device detection and configuration using SetApp
- ✓ Field-proven wireless technology Mesh network
 - ✓ topology enabling long-range transmissions
 - ✓ Robust performance in challenging environments
- ✓ Connectivity you can count on
 - ✓ Reliable communications with no single point of failure (for multiple device systems)
 - ✓ Secured telemetry with advanced device authentication and data encryption
- ✓ External antenna to ensure maximum coverage

* When compared to SolarEdge installations using wired communications

solaredge.com




solaredge

/ SolarEdge Energy Net Plug-In

PART NUMBER		ENET-xBNP-01	ENET-xBCL-01	ENET-xBRP-01	UNIT
PERFORMANCE					
Transmit Power (Max)			17 ⁽¹⁾		dBm
Receiver Sensitivity			-100		dBm
EIRP with Antenna			17 ⁽¹⁾		dBm
Indoor Range (none line of sight)			50 / 160		m / ft
Frequency Band			HB 863-876, 902-930 LB 310-358, 426-445		MHz
ENVIRONMENTAL					
Operating Temperature			-40 to 185 / -40 to +85		°C / °F
Storage Temperature			-40 to 185 / -40 to +85		°C / °F
MECHANICAL					
Size		0.98 x 1.37 / 25 x 35	1.29 x 2.99 / 33 x 76	0.98 x 1.37 / 25 x 35	in / mm
POWER SUPPLY					
DC Voltage (nominal)			3.3		Vdc
Max Input Current			200		mA
ANTENNA					
Antenna Bands ⁽²⁾			HB 863 - 930 LB 310 - 445		MHz
Antenna Type			Outdoor		
Antenna Connector			RP-SMA		
VSWR			≤4.0		dBi
Gain			2		dB
Polarization			Vertical		
Material			PC Lexan 503R-WH5151L or WH8G952 Sabic		
Dimensions (Length x Diameter)			7.87 x 0.78 / 200 x 20		mm / in
COMPLIANCE					
US	EMC / EMI and Radio		FCC Part 15B, FCC Part 15C		
Canada	EMC / EMI		ICES-003		
	Radio		RSS-247 for SRD, RSS-102 MPE report		m / ft
Europe	EMC / EMI		CISPR 32, EN 55032, EN 55035, EN 301 489-1, EN 301 489-3		
	Radio		EN 62311 (EMF test), EN 300-220-1, EN 300-220-2		
Australia	EMC / EMI		CISPR 32 AS/NZS CISPR 32, AS/NZS 4268		m / ft
	Radio		AS/NZS 4268		
Japan	EMC / EMI		VCCI-CISPR 32		°C / °F
	Radio		ARIB STD-T93, JAPAN EXTREMELY LOW POWER		
Korea	EMC / EMI and Radio		Korea RF (KN 32/35)		
Taiwan	EMC / EMI and Radio		NCC LP0002		%
Compatibility		Energy Net-ready inverter with the following part number format: SE...-...BExx SE...-...BZxx SE...-...BXxx SE...-...BLxx For example: SE7K-AUBTEBEU4	SetApp-enabled inverter Note: Plugs into the cellular socket. Cellular plug-in or ZigBee plug-in cannot be installed in parallel	SetApp-enabled LCD inverter Requires replacement communication board with LCD	

(1) Transmission power / EIRP may be higher according to each country's standard requirements


(2) External antenna is provided with the Energy Net Plug-In kit



/ SolarEdge Energy Net Plug-In

/ Connecting inverters to the following SolarEdge products:

- / SolarEdge Energy Bank
- / Inline Energy Meter
- / Smart Energy Devices⁽³⁾
- / EV Charger⁽³⁾









(3) Smart devices and EV charger support based on future availability

SolarEdge is a global leader in smart energy technology. By leveraging world-class engineering capabilities and with a relentless focus on innovation, SolarEdge creates smart energy solutions that power our lives and drive future progress.

SolarEdge developed an intelligent inverter solution that changed the way power is harvested and managed in photovoltaic (PV) systems. The SolarEdge DC optimized inverter maximizes power generation while lowering the cost of energy produced by the PV system.

Continuing to advance smart energy, SolarEdge addresses a broad range of energy market segments through its PV, storage, EV charging, UPS, and grid services solutions.

-  SolarEdge
-  @SolarEdgePV
-  @SolarEdgePV
-  SolarEdgePV
-  SolarEdge
-  info@solaredge.com

solaredge.com

© SolarEdge Technologies, Ltd. All rights reserved. SOLAREEDGE, the SolarEdge logo, OPTIMIZED BY SOLAREEDGE are trademarks or registered trademarks of SolarEdge Technologies, Inc. All other trademarks mentioned herein are trademarks of their respective owners. Date: 21 December 2021 DS-000057-ENG. Subject to change without notice.

Cautionary Note Regarding Market Data and Industry Forecasts: This brochure may contain market data and industry forecasts from certain third-party sources. This information is based on industry surveys and the preparer's expertise in the industry and there can be no assurance that any such market data is accurate or that any such industry forecasts will be achieved. Although we have not independently verified the accuracy of such market data and industry forecasts, we believe that the market data is reliable and that the industry forecasts are reasonable.